PRCJSPIANT




ZEPHYR Cost-effective retail/production house

Rivendale Farms, PA

ZEPHYR

The Zephyr is the ideal choice for natural ventilation and dehumidification. Its curved roof shape and peak vent allow heat to escape from the top of the house, eliminating the need for exhaust fans and vents, even with the gutters full of snow. Sidewall heights leave ample room for equipment such as booms, shade systems, and hanging baskets. The curved truss design gives you the flexibility to start with a poly-film covering and retrofit to a hard covering later. The Zephyr works well for both production and retail settings.

Plantorium Greenhouse, CO



Dallas Johnson Greenhouses, IA



Get to Know the Zephyr

- One-piece factory-welded trusses for strength and longevity
- High-strength Tenzaloy column caps and gutter saddles
- Purlins, wall framing, and columns are predrilled and made of swaged square steel for strength and longevity
- Large, walkable gutter for ease of installation of chosen glazing

- Curved truss design accommodates double-poly, corrugated polycarbonate, or twinwall
- High-strength double-toothed steel rack arms stronger against wind than single-toothed aluminum
- Vent options: drop-down curtains, atrium vent, or peak hinged vent. Optional rollup or EDDG vent on the sidewalls and gables to increase air intake area.
- Optional powder-coated frame, flashings, and extrusions

Natural Ventilation at Its Best

Prevents heat build-up

Top-mounted vertical roof vents and drop curtains allow hot air to escape from the highest point of the greenhouse, not at the lower gutter area as in other designs.

Maintains ambient temperature

Ability to hold outside ambient temperature in the greenhouse without the use of mechanical cooling.

Protects when temperatures drop
Poly covering offers a high degree of insulation in colder climates.

Strength at Its Finest

Provides weather protection

Vertical vent protects crops from heavy rains and minimizes the risk of losing vents to high winds. Insect screens install in a snap.


Improves humidity control

Winter dehumidification improved by letting only the hottest air at the peak escape while maintaining warm temperatures at the crop level. Handles hanging weight

The strength of the welded truss design gives you the flexibility to hang baskets, vegetable crops, or equipment.

Customized for regional requirements
Designed to meet local snow and wind load specifications.





Unique truss design for peak venting: Atrium vent (left) and ridge vent (right). Sidewallls can be vented with an exterior drop-down guillotine (EDDG) vent (left), swingout vent (right), or roll-up sidewall curtains (not shown).

ZEPHYR SPECIFICATIONS

- Standard widths: 24', 30', 36'
- Standard gutter height: 10'-16'
- Bay Spacing: 10'-12'
- Load ratings: 15 psf, 20 psf, 30 psf
- Custom widths and loads available upon request

PRCJSPIANT

EXPERTISE YOU CAN TRUST. CAPABILITIES YOU CAN COUNT ON.

Proven Track Record of Success

- 10,000+ customers
- 3,000+ completed projects

Qualified In-House Talent

- In-house engineering* for all disciplines
- We work with P.E. Registered partners as required
- Extensive nationwide qualified installer network
- Qualified and experienced Project Managers OSHA 10/30 certified

*We work with partners to ensure proper, compliant performance of engineering and design services.

North American Manufacturing

- U.S. and Canada
- NGMA Member

Contact us to purchase

(513) 242-0310

sales@prospiant.com

www.prospiant.com

രി





in



©2024 Prospiant. All rights reserved.